

Problem B. Petrol

Input file: *standard input*
Output file: *standard output*
Time limit: 1.8 seconds
Memory limit: 256 mebibytes

Byteasar is employed in the logistics department of Byteonian petroleum giant Byteoil. His job is to plan fuel deliveries to petrol stations.

There are n intersections in Byteotia (marked by numbers from 1 to n) and m two-way roads connecting certain pairs of intersections. There are Byteoil petrol stations located at some intersections.

Byteoil transport fleet consists of petrol tankers with various capacities of fuel tanks. Each tanker consumes 1 litre of petrol per kilometre of distance travelled. It can therefore be assumed that a tanker having tank capacity of b litres can cover a maximum distance of b kilometres without the need to refuel. Drivers cannot use the fuel carried by the tanker in the main tank, however they can refuel at any Byteoil petrol stations free of charge.

Byteasar's work consists of repeatedly answering the following queries: Is a petrol tanker with a fuel tank of capacity of b litres capable of covering the distance of from a petrol station located at the intersection x to a petrol station located at the intersection y ? Tanker with a fuel tank of capacity of b litres cannot cover a distance of more than b kilometres, during which there will be no Byteoil petrol station. Tankers starting point is always located at an intersection where Byteoil petrol station is present, and also all the trips end at an intersection with Byteoil petrol station.

Help Byteasar to provide an automated reply to his logistic queries.

Input

The first line of input contains three integers n , s and m ($2 \leq s \leq n \leq 200\,000$, $1 \leq m \leq 200\,000$), denoting the number of intersections, the number of petrol stations and the number of roads in Byteotia. The second line contains a sequence of s pairwise distinct integers c_1, c_2, \dots, c_s ($1 \leq c_i \leq n$), denoting the intersections where Byteoil stations are located.

The next m lines describe the roads in Byteotia; i -th of these lines contains three integers u_i , v_i and d_i ($1 \leq u_i, v_i \leq n$, $u_i \neq v_i$, $1 \leq d_i \leq 10\,000$), indicating that the i -th road has a length of d_i kilometres and connects the intersection u_i with the intersection v_i . Each pair of intersections is connected by at most one road.

The next line contains one integer q ($1 \leq q \leq 200\,000$), denoting the number of queries. The consecutive q lines hold the descriptions of queries; i -th of these lines contains three integers x_i , y_i and b_i ($1 \leq x_i, y_i \leq n$, $x_i \neq y_i$, $1 \leq b_i \leq 2 \cdot 10^9$) indicating query concerning the possibility of a tanker with a capacity of b_i litres to cover the distance from a petrol station at the intersection x_i to the station at the intersection of y_i . It can be assumed that at both intersections x_i , y_i Byteoil petrol stations are located.

Output

Your program should output exactly q lines. The i -th of these lines should contain one word "TAK" (i.e., *yes*) or "NIE" (i.e., *no*), depending on whether the tanker with a fuel tank with a capacity of b_i is able to travel from the intersection x_i to the intersection y_i .

Examples

standard input	standard output
6 4 5	TAK
1 5 2 6	TAK
1 3 1	TAK
2 3 2	NIE
3 4 3	
4 5 5	
6 4 5	
4	
1 2 4	
2 6 9	
1 5 9	
6 5 8	