

Problem J. The Cave

Input file: *standard input*
Output file: *standard output*
Time limit: 2.6 seconds
Memory limit: 256 mebibytes

A group of speleologists plans to explore a recently discovered cave complex. The cave complex consists of n chambers numbered from 1 to n . The chambers are connected by means of $n - 1$ corridors in such a way that any chamber can be reached from any other. Each corridor connects exactly two chambers.

The cave will be explored by a group of m speleologists. For simplicity we number them by integers from 1 to m . Each speleologist presented his requirements concerning the area of the cave which he would like to explore. Speleologist i would like to begin his exploration in the chamber a_i , finish exploring in the chamber b_i and traverse a maximum of d_i corridors on his way (passing the same corridor each time is to be counted separately). Byteasar, head of the expedition, would like all the researchers to be able to meet at a certain point in time in order to exchange their observations. For this reason, he is wondering whether he could choose one of the chambers of the cave system, and plan the routes of all the speleologists in such a way, that they all pass through the selected chamber. Of course planned routes must meet the requirements described initially by the researchers.

Input

The first line of input contains one integer t ($1 \leq t \leq 1000$) that specifies the number of test cases. It is followed by the descriptions of the individual cases. Description of a single case begins with a line including two integers n and m ($2 \leq n, m \leq 300\,000$), which describe the number of chambers in the cave system and the number of speleologists, respectively. The next $n - 1$ lines describe the cave corridors. Each of them contains two integers u_i, w_i ($1 \leq u_i, w_i \leq n$), which indicate that the chambers u_i and w_i are connected by a direct corridor.

Next m lines describe the speleologists' requirements. The i -th of these lines contains three integers a_i, b_i, d_i ($1 \leq a_i, b_i \leq n, 1 \leq d_i \leq 600\,000$). They indicate that the speleologist i will begin by starting to explore chamber a_i , finish in chamber b_i , and moving between chambers passes through at most d_i corridors. You may always assume that it is possible to move from chamber a_i to b_i traversing not more than d_i corridors. Both the sum of values n for all the test cases, as well as the total value of m does not exceed 300 000.

Output

Your program should output exactly t lines. The i -th line should contain the answer to the i -th test case from input. In case it is possible to set speleologists' routes in such a manner, so that they all run through one common chamber, one word TAK (i.e., Polish for *yes*) should be produced, followed by the number of the chamber where the meeting is to take place. Otherwise, your program should output only one word: "NIE". If there are multiple correct answers, your program should output any of them.

Examples

standard input	standard output
2	TAK 2
5 3	NIE
1 2	
2 3	
2 4	
3 5	
1 4 2	
5 5 5	
3 2 1	
3 2	
1 2	
2 3	
1 1 2	
3 3 1	