

Problem K. Kth Query

Input file: **standard input**
Output file: **standard output**
Time limit: 2 seconds
Memory limit: 256 megabytes

MianKing has a sequence $a_{1\dots n}$ and he wants to answer Q queries about it.

Let $f(a, S, K)$ denote the K -th smallest number of sequence $b_{1\dots n}$ which satisfies that $\forall i \in [1, n], b_i = a_i \text{ xor } S$.

Now for each query, give you L, R, K , you need to answer $\text{Min}_{S=L}^R f(a, S, K)$.

Input

The first line has two integers n, Q .

The second line has n integers which denote $a_{1\dots n}$.

Then there are Q lines, the i -th line has three integers L, R, K which represents the i -th query.

$$1 \leq n, Q \leq 10^5$$

$$0 \leq a_i < 2^{30}$$

$$0 \leq L \leq R < 2^{30}$$

$$1 \leq K \leq n$$

Output

There are Q lines, the i -th line has one integer which denotes $\text{Min}_{S=L}^R f(a, S, K)$.

Examples

standard input	standard output
3 3 1 2 3 0 4 1 0 4 2 0 4 3	0 1 2
5 4 0 1 2 3 4 2 3 4 4 5 1 2 2 3 1 4 5	3 0 2 5