

Problem F

Hold the Star

Time limit: 2 seconds

You are playing a computer game with n rooms, m characters, and one star. The rooms are arranged from left to right and numbered from 1 to n in that order. The characters are numbered from 1 to m . At any time, each character is in one of the rooms and the star is either in one of the rooms or held by one of the characters. The objective of the game is for the star to be held by character m .

You can play the game by performing several actions. Each action costs a certain amount of *staracips* (the unit of currency in the game), possibly zero. In each action, you choose a character x (let room y be the room the character is currently in) and command the character to do either of the following:

- Move to one of the adjacent rooms ($y - 1$ or $y + 1$), if such a room exists. If character x is holding the star, then the character continues to hold the star. This action costs s_x *staracips*. The values of s_1, s_2, \dots, s_m are given.
- Pick the star up and hold it, if the star is currently in room y and is not held by any character. This action costs 0 *staracips*.
- Put the star down and release it, if the star is currently held by character x . The star then falls to room y . This action costs 0 *staracips*.

The game contains q levels, numbered from 1 to q . In all levels, each character i is initially in room r_i and character m must hold the star to win the level. The only difference between the levels is that, in each level j , the star is initially in room l_j .

For each level, you want to compute the minimum total *staracips* you have to spend to win the level. Note that you don't have to minimize the number of actions.

Input

The first line of input contains three integers n , m , and q ($1 \leq n \leq 10^9$; $1 \leq m \leq 100\,000$; $1 \leq q \leq 100\,000$). The i -th of the next m lines contains two integers r_i and s_i ($1 \leq r_i \leq n$; $1 \leq s_i \leq 10^9$). The j -th of the next q lines contains an integer l_j ($1 \leq l_j \leq n$).


Output

For each level in order, output the minimum total *staracips* you have to spend to win the level.



The 2025 ICPC Asia Pacific Championship

Hosted by the National University of Singapore



Sample Input #1

```
6 5 4
1 7
3 2
2 3
5 3
2 5
1
2
5
6
```

Sample Output #1

```
5
0
8
14
```

Explanation for the sample input/output #1

You can win the first level by spending 5 *staracips* by doing the following actions:

1. Character 5 moves from room 2 to room 1. This action costs 5 *staracips*.
2. Character 5 picks the star up.

You can win the second level by spending 0 *staracips* by doing the following actions:

1. Character 5 picks the star up.

You can win the third level by spending 8 *staracips* by doing the following actions:

1. Character 4 picks the star up.
2. Character 4 moves from room 5 to room 4. This action costs 3 *staracips*.
3. Character 4 moves from room 4 to room 3. This action costs 3 *staracips*.
4. Character 4 puts the star down.
5. Character 2 picks the star up.
6. Character 2 moves from room 3 to room 2. This action costs 2 *staracips*.
7. Character 2 puts the star down.
8. Character 5 picks the star up.

You can win the fourth level by spending 14 *staracips* by doing the following actions:

1. Character 2 moves from room 3 to room 4, then to room 5, then to room 6. These actions cost $3 \times 2 = 6$ *staracips* in total.
2. Character 2 picks the star up.
3. Character 2 moves from room 6 to room 5, then to room 4, then to room 3, then to room 2. These actions cost $4 \times 2 = 8$ *staracips* in total.
4. Character 2 puts the star down.
5. Character 5 picks the star up.