

## Border Jump 2

Input file:            **standard input**  
Output file:           **standard output**  
Time limit:            2 seconds  
Memory limit:         1024 megabytes

You are given a string  $S$  consisting of lower-cased English letters. You need to perform some operations on  $S$  until it becomes empty. Each time you can perform one of the following three operations:

1. Delete the first character of  $S$ .
2. Delete the last character of  $S$ .
3. Choose a good substring  $S'$  of  $S$  and replace  $S$  with  $S'$ .

A non-empty string  $S'$  is called a good substring of string  $S$  if and only if  $S' \neq S$ ,  $S'$  is a prefix of  $S$ , and the reverse of  $S'$  is a suffix of  $S$ . The reverse of a string  $p_1p_2 \cdots p_k$  of length  $k$  is another string  $p_kp_{k-1} \cdots p_1$  of length  $k$ .

What's the maximum number of type 3 operations can you perform?

### Input

There are multiple test cases. The first line of the input contains an integer  $T$  indicating the number of test cases. For each test case:

The first and only line contains a string  $S$  ( $1 \leq |S| \leq 10^5$ ) consisting of lower-cased English letters.

It is guaranteed that the sum of  $|S|$  over all test cases does not exceed  $2 \times 10^5$ .

### Output

For each test case, output one line containing one integer indicating the maximum number of type 3 operations you can perform.

### Example

standard input	standard output
3	3
aaaa	4
abbaabba	0
xy	

### Note

For the first sample test case:  $aaaa \xrightarrow{\text{op. 3}} aaa \xrightarrow{\text{op. 3}} aa \xrightarrow{\text{op. 3}} a \xrightarrow{\text{op. 2}} \emptyset$ .

For the second sample test case:  $abbaabba \xrightarrow{\text{op. 3}} abbaabb \xrightarrow{\text{op. 1}} bbaabb \xrightarrow{\text{op. 3}} bbaab \xrightarrow{\text{op. 1}} baab \xrightarrow{\text{op. 3}} baa \xrightarrow{\text{op. 1}} aa \xrightarrow{\text{op. 3}} a \xrightarrow{\text{op. 1}} \emptyset$ .